International Journal of Pharmaceutics, 36 (1987) 263–264
Elsevier

Author Index

Ackermann, C. and Flynn, G.L., Ether–water partitioning and permeability through nude mouse skin in vitro. I. Urea, thiourea, glycerol and glucose, 61
Ackermann, C., Flynn, G.L. and Smith, W.M., Ether–water partitioning and permeability through nude mouse skin in vitro. II. Hydrocortisone 21-*n*-alkyl ester, alkanols and hydrophilic compounds, 67
Andrieu, V., see Damgé, C., 121
Apostolelli, E., see Macheras, P., 73
Aprahamian, M., see Damgé, C., 121
Araki, Y., see Fukuda, T., 1
Archer, W.I., see Kohli, R., 91
Aungst, B.J., see Hussain, M.A., 127

Babhair, S.A., see Moustafa, M.A., 187
Balboni, G., see Damgé, C., 121
Beijersbergen van Henegouwen, G.M.J., see Busker, R.W., 113
Betageri, G.V. and Rogers, J.A., Thermodynamics of partitioning of β-blockers in the *n*-octanol buffer and liposome systems, 167
Bouzon, J., see Farah, N., 81
Bundgaard, H., see Buur, A., 41
Busker, R.W., Beijersbergen van Henegouwen, G.M.J., Kwee, B.M.C. and Winkens, J.H.M., Photobinding of flunitrazepam and its major photo-decomposition product *N*-desmethylflunitrazepam, 113
Buur, A. and Bundgaard, H., Prodrugs of 5-fluorouracil. VIII. Improved rectal and oral delivery of 5-fluorouroacil via various prodrugs. Structure–rectal absorption relationships, 41

Clarke, S.W., see Newman, S.P., 55
Conklin, J.D., see Mason, W.D., 105

D'Arcy, P.F., see McElnay, J.C., 201
Damgé, C., Aprahamian, M., Balboni, G., Hoeltzel, A., Andrieu, V. and Devissaguet, J.P., Polyalkylcyanoacrylate nanocapsules increase the intestinal absorption of a lipophilic drug, 121
Devissaguet, J.P., see Damgé, C., 121

Elliott, D.S., see McElnay, J.C., 201

Farah, N., Bouzon, J., Rollet, M., Taverdet, J.L. and Vergnaud, J.M., 'Dry emulsion' — a sustained release form: modelling of drug transfers in liquids, 81
Flynn, G.L., see Ackermann, C., 61
Flynn, G.L., see Ackermann, C., 67

Fort, J.J. and Mitra, A.K., Physicochemical properties and chromatographic behavior of a homologous series of methotrexate-α,γ-dialkyl ester prodrugs, 7
Fukuda, T., Gomita, Y., Furuno, K. and Araki, Y., Determination of antiepileptic drug concentrations in animal blood by the SLFIA method, 1
Furr, J.R., see Russel, A.D., 193
Furuno, K., see Fukuda, T., 1

Go, J. and Grant, D.J.W., Locating the impurity in doped crystals using isotopic double labelling and a column "flow-through" dissolution cell: adipic acid doped with oleic acid, 17
Gomita, Y., see Fukuda, T., 1
Gant, D.J.W., see Go, J., 17
Gröning, R., Electrophoretically controlled dermal or transdermal application systems with electronic indicators, 37

Hailey, F.J., see Mason, W.D., 105
Hashida, M., see Higaki, K., 131
Hashida, M., see Sasaki, H., 149
Hersey, J.A., see Lai, F.K.Y., 159
Higaki, K., Kishimoto, I., Komatsu, H., Hashida, M. and Sezaki, H., Effect of medium-chain glycerides on the intestinal absorption and the hepatobiliary transport of Phenol red, 131
Hill, R.A. and Snider, B.G., A widely applicable automated sampling apparatus for dissolution testing, 177
Hoeltzel, A., see Damgé, C., 121
Howard, J.R., see Waring, M.J., 29
Hussain, M.A., Aungst, B.J., Kearney, A. and Shefter, E., Buccal and oral bioavailability of naloxone and naltrexone in rats, 127

Irwin, W.J., see Liak, T.L., 235

Jackson, I.M., see Rubinstein, M.H., 99
Jones, S.P. and Parr, G.D., The acetotoluides as models for studying cyclodextrin inclusion complexes, 225

Kearney, A., see Hussain, M.A., 127
Kishimoto, I., see Higaki, K., 131
Kohli, R., Archer, W.I. and Li Wan Po, A., Laser velocimetry for the non-invasive assessment of the percutaneous absorption of nicotinates, 91
Komatsu, H., see Higaki, K., 131
Koupparis, M., see Macheras, P., 73
Kouta, H.I., see Moustafa, M.A., 187

0378-5173/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Kulvanich, P. and Stewart, P.J., An evaluation of the air stream Faraday cage in the electrostatic charge measurement of interactive drug systems, 245
Kwee, B.M.C., see Busker, R.W., 113

Laakso, T. and Smedsrød, B., Cellular distribution in rat liver of intravenously administered polyacryl starch and chondroitin sulfate microparticles, 255
Lai, F.K.Y. and Hersey, J.A., Simulated ordered powder mixture, 159
Li Wan Po, A., see Kohli, R., 91
Li Wan Po, A., see Liak, T.L., 235
Liak, T.L., Li Wan Po, A. and Irwin, W.J., The effects of drug therapy on urinary pH — excipient effects and bioactivation of methenamine, 235

Macheras, P., Koupparis, M. and Apostolelli, E., Dissolution of 4 controlled-release theophylline formulations in milk, 73
Mason, W.D., Conklin, J.D. and Hailey, F.J., Relative bioavailability of our macrocrystalline nitrofurantoin capsules, 105
Matsukawa, Y., see Sasaki, H., 149
McElnay, J.C., Elliott, D.S. and D'Arcy, P.F., Binding of human insulin to burette administration sets, 201
Mitra, A.K., see Fort, J.J., 7
Moustafa, M.A., Babhair, S.A. and Kouta, H.I., Decreased bioavailability of some antipsychotic phenothiazines due to interactions with adsorbent antacid and antidiarrhoeal mixtures, 187

Newman, S.P., Pellow, P.G.D. and Clarke, S.W., Efficient nebulisation of powdered antibiotics, 55

Parr, G.D., see Jones, S.P., 225
Pellow, P.G.D., see Newman, S.P., 55
Perfetto, L., see Zingerman, J.R., 141
Pope, D.G., see Zingerman, J.R., 141

Roberts, R.J. and Rowe, R.C., Brittle/ductile behaviour in pharmaceutical materials used in tabletting, 207
Rogers, J.A., see Betageri, G.V., 167
Rollet, M., see Farah, N., 81
Rowe, R.C., see Roberts, R.J., 207
Rubinstein, M.H. and Jackson, I.M., Stress relaxation behaviour of compacts of sodium chloride and polyethylene, 99
Rubinstein, M.H., see Waring, M.J., 29
Russel, A.D. and Furr, J.R., Comparative sensitivity of smooth, rough and deep rough strains of *Escherichia coli* to chlorhexidine, quaternary ammonium compounds and dibromopropamidine isethionate, 193

Sasaki, H., Matsukawa, Y., Hashida, M. and Sezaki, H., Characterization of alkylcarbamoyl derivatives of 5-fluorouracil and their application to liposome, 149
Sezaki, H., see Higaki, K., 131
Sezaki, H., see Sasaki, H., 149
Shefter, E., see Hussain, M.A., 127
Silver, K.G., see Waranis, R.P., 213
Sloan, K.B., see Waranis, R.P., 213
Smedsrod, B., see Laakso, T., 255
Smith, W.M., see Ackermann, C., 67
Snider, B.G., see Hill, R.A., 177
Stewart, P.J., see Kulvanich, P., 255

Taverdet, J.L., see Farah, N., 81

Van der Watt, J.G., The effect of the particle size of microcrystalline cellulose on tablet properties in mixtures with magnesium stearate, 51
Vergnaud, J.M., see Farah, N., 81

Waranis, R.P., Silver, K.G. and Sloan, K.B., The solubility parameter of vehicles as a predictor of relative vehicle effects on the diffusion of 6-mercaptopurine, 213
Waring, M.J., Rubinstein, M.H. and Howard, J.R., Acoustic emission of pharmaceutical materials during compression, 29
Wilkinson, P.K., see Zingerman, J.R., 141
Winkens, J.H.M., see Busker, R.W., 113

Zingerman, J.R., Pope, D.G., Wilkinson, P.K. and Perfetto, L., Automatic injector apparatus for studying the injectability of parenteral formulations for animal health, 141